

স্মারক নং: ইসাব/ইসি/২০২৬-২০২৮/০০৮
তারিখ: ১৫ ই জুন, ২০২৬ ইং

বরাবর,
সম্মানিত সদস্যবৃন্দ,
ইলেকট্রনিক্স সেফটি অ্যান্ড সিকিউরিটি অ্যাসোসিয়েশন অফ বাংলাদেশ (ইসাব)

বিষয়: ইলেকট্রনিক্স সেফটি অ্যান্ড সিকিউরিটি অ্যাসোসিয়েশন অব বাংলাদেশ (ইসাব)-এর আবেদনের
পরিপ্রেক্ষিতে গুরুত্বপূর্ণ অগ্নি নিরাপত্তা সরঞ্জাম আমদানি শুল্ক সুবিধার আওতাভুক্তকরণ প্রসঙ্গে।

আপনাদের অত্যন্ত আনন্দের সাথে জানাচ্ছি যে, দেশের ফায়ার সেফটি ও সিকিউরিটি খাতের সার্বিক উন্নয়ন এবং
ব্যবসায়িক পরিধি প্রসারণের লক্ষ্যে ইলেকট্রনিক্স সেফটি অ্যান্ড সিকিউরিটি অ্যাসোসিয়েশন অফ বাংলাদেশ (ইসাব)
এর কার্যনির্বাহী কমিটির সদস্যদের আবেদন, নিরলস উদ্যোগ, আন্তরিকতা এবং সংশ্লিষ্ট নীতি-নির্ধারক কর্তৃপক্ষের
সাথে ধারাবাহিক ও সফল যোগাযোগের পরিপ্রেক্ষিতে এবং অর্থ মন্ত্রণালয়ের অভ্যন্তরীণ সম্পদ বিভাগ কর্তৃক জারিকৃত
এস.আর.ও. নং- ১৮৭-আইন/২০২৬/৪২/কাস্টমস, তারিখ: ০৮ জুন ২০২৬ খ্রিস্টাব্দ অনুযায়ী অগ্নি নিরাপত্তা খাতে
ব্যবহৃত নিম্নোক্ত পণ্যসমূহ আমদানি শুল্ক সুবিধার আওতাভুক্ত করা হয়েছে:

SL	Description	H.S Code
1	Fire Retardant Paint	3208.90.90
2	Cementitious Fireproofing Material	6806.90.00
3	Fire Curtain	7019.90.10
4	Fire Shutter	7308.40.00
5	Motorized Fire & Smoke Damper	8484.80.90

এই যুগান্তকারী সিদ্ধান্ত দেশের ফায়ার সেফটি ও সিকিউরিটি খাতের জন্য একটি অন্যতম মাইলফলক। এর ফলে
আমাদের সম্মানিত সদস্য, আমদানিকারক, প্রকৌশলী ও শিল্প উদ্যোক্তারা সরাসরি উপকৃত হবেন। পাশাপাশি, দেশের
শিল্প-কারখানা ও স্থাপনাগুলোতে আন্তর্জাতিক মানসম্পন্ন অগ্নি-নিরাপত্তা প্রযুক্তি ও পণ্যের ব্যবহার আরও সহজলভ্য
ও সম্প্রসারিত হবে।

এই ঐতিহাসিক অর্জনের মাহেন্দ্রক্ষণে, ইলেকট্রনিক্স সেফটি অ্যান্ড সিকিউরিটি অ্যাসোসিয়েশন অফ বাংলাদেশ
(ইসাব) এর পক্ষ থেকে সংশ্লিষ্ট মন্ত্রণালয়, জাতীয় রাজস্ব বোর্ড এবং এই প্রক্রিয়ার সাথে সম্পৃক্ত সকল সরকারি ও
বেসরকারি কর্তৃপক্ষের প্রতি গভীর কৃতজ্ঞতা ও আন্তরিক ধন্যবাদ জ্ঞাপন করা হচ্ছে।

সম্মানিত সদস্যবৃন্দ, আপনাদের ব্যবসায়িক স্বার্থ সংরক্ষণ, দেশের ফায়ার সেফটি শিল্পের টেকসই উন্নয়ন,
আধুনিকায়ন এবং একটি নিরাপদ ব্যবসায়িক পরিবেশ নিশ্চিতকরণে ইলেকট্রনিক্স সেফটি অ্যান্ড সিকিউরিটি
অ্যাসোসিয়েশন অফ বাংলাদেশ (ইসাব) ভবিষ্যতেও তার এই গঠনমূলক ও সক্রিয় ভূমিকা বজায় রাখতে বদ্ধপরিকর।

আপনাদের নিরবচ্ছিন্ন সহযোগিতার জন্য ধন্যবাদ।

ধন্যবাদান্তে,

নাইম উদ্দিন মাহমুদ
মহাসচিব

ইলেকট্রনিক্স সেফটি অ্যান্ড সিকিউরিটি অ্যাসোসিয়েশন অফ বাংলাদেশ (ইসাব)



সংযুক্ত:

১. অর্থ মন্ত্রণালয় (অভ্যন্তরীণ সম্পদ বিভাগ) কর্তৃক জারিকৃত প্রজ্ঞাপন
২. ২০২৬-২০২৭ অর্থবছরের বাজেট প্রস্তাবনা সংক্রান্ত ESSAB-এর চিঠি
৩. ২০২৬-২০২৭ অর্থবছরের ফায়ার সেফটি সামগ্রীর শুল্ক ও ভ্যাট যৌক্তিকীকরণ সংক্রান্ত ESSAB-এর প্রস্তাবনা
পত্র।

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
অর্থ মন্ত্রণালয়
অভ্যন্তরীণ সম্পদ বিভাগ
(কাষ্টমস ও মূল্য সংযোজন কর)

প্রজ্ঞাপন

তারিখ: ২৫ জ্যৈষ্ঠ, ১৪৩৩ বঙ্গাব্দ/ ০৮ জুন, ২০২৬ খ্রিষ্টাব্দ

এস.আর.ও. নং- ১৮৭-আইন/২০২৬/৪২/কাষ্টমস।- সরকার, কাষ্টমস আইন, ২০২৩ (২০২৩ সনের ৫৭ নং আইন), অতঃপর উক্ত আইন বলিয়া উল্লিখিত, এর ধারা ২৫ এর উপ-ধারা (১) এবং মূল্য সংযোজন কর ও সম্পূরক শুল্ক আইন, ২০১২ (২০১২ সনের ৪৭ নং আইন) এর ধারা ১২৬ এর উপ-ধারা (১) এ প্রদত্ত ক্ষমতাবলে, জাতীয় রাজস্ব বোর্ডের সহিত পরামর্শক্রমে, জনস্বার্থে, উক্ত আইনের প্রথম তফসিল ভুক্ত পণ্যের মধ্যে নিম্নবর্ণিত TABLE এর কলাম (১) এ উল্লিখিত Heading এর বিপরীতে কলাম (২) এ উল্লিখিত H.S. Code এর আওতাধীন কলাম (৩) তে বর্ণিত অগ্নি নির্বাপন ব্যবস্থা সংশ্লিষ্ট পণ্যসমূহকে, উহাদের উপর আরোপণীয় আমদানি শুল্ক, যেই পরিমাণে মূল্যভিত্তিক ৫ (পাঁচ) শতাংশের অতিরিক্ত হয় সেই পরিমাণ এবং সমুদয় রেগুলেটরি ডিউটি, মূল্য সংযোজন কর ও সম্পূরক শুল্ক, যদি থাকে, হইতে নিম্নবর্ণিত শর্ত সাপেক্ষে অব্যাহতি প্রদান করিল, যথা:-

TABLE

Heading (1)	H.S. Code (2)	Description (3)
25.20	2520.20.00	Promaspray-300 (Plaster/Cement)
32.08	3208.10.90	Bondseal paint
	3208.90.90	Fire retardant paint
38.13	3813.00.00	Cold Fire, Fire fighting agent, Extinguishing agent
39.17	3917.10.00	Artificial guts (Sausage casings) of hardened protein or of cellulosic materials
	3917.21.00	Hose of polymers of ethylene
	3917.22.00	Hose of polymers of propylene
	3917.23.10	PVC shrinkable tube (plain)
	3917.23.90	Taflon Tape
40.09	4009.11.00	Hose of vulcanised rubber without fittings
	4009.12.00	Hose of vulcanised rubber with fittings
59.09	5909.00.00	Textile hosepiping and similar textile tubing, with or without lining, armour or accessories of other material.
68.06	6806.90.00	Spray applied fire resistant material (SFRM)/ Cementitious fireproofing material based on Vermiculite and Portland Cement
70.19	7019.90.10	Fire curtain
73.03	7303.00.00	Tubes, pipes and hollow profiles, of cast iron.
73.04	7304.11.10	Exceeding 8 inch inner dia

Heading	H.S. Code	Description
(1)	(2)	(3)
	7304.11.20	8 inch inner dia or less
	7304.19.10	Exceeding 8 inch inner dia
	7304.19.20	8 inch inner dia or less
	7304.22.10	Exceeding 8 inch dia
	7304.22.20	8 inch inner dia or less
	7304.23.10	Exceeding 8 inch inner dia
	7304.23.20	8 inch inner dia or less
	7304.24.10	Exceeding 8 inch inner dia
	7304.24.20	8 inch inner dia or less
	7304.29.10	Exceeding 8 inch inner dia
	7304.31.00	Cold-drawn or cold rolled (cold-reduced)
	7304.39.00	Seamless Pipe
73.06	7306.19.10	Exceeding 8 inch inner dia
	7306.19.20	8 inch inner dia or less
	7306.29.10	Exceeding 8 inch inner dia
	7306.29.20	8 inch inner dia or less
	7306.30.00	Other, welded, of circular cross-section of iron or non-alloy steel
	7306.90.00	Other black steel pipe
73.07	7307.19.00	Coupling, tee, reducer
	7307.21.00	Flanges
	7307.22.00	Threaded elbows, bends and sleeves
	7307.29.00	Elbows, tee, reducer
	7307.91.00	Flanges
	7307.92.90	Sleeves
	7307.93.00	Tee, reducer
	7307.99.90	Flexible Joint, tee, reducer
73.08	7308.30.00	Fire Resistant Door
	7308.40.00	Fire Shutter
73.09	7309.00.90	Reservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas) of iron or steel, of a capacity exceeding 300 L, whether or not lined or heat-insulated, but not fitted with machanical or thermal equipment
73.10	7310.29.00	Tank
73.18	7318.14.00	Screws
	7318.16.00	Nuts
	7318.29.90	Nipple
73.26	7326.90.90	Hose rack, hose cabinet, single/double door cabinet hanger and Empty CE stainless water fire extinguisher

Heading	H.S. Code	Description
(1)	(2)	(3)
83.03	8303.00.00	Armoured or reinforced safes, strong-boxes and doors and safe deposit lockers for strong-rooms, cash or deed boxes and the like, of base metal.
84.24	8424.10.00	Cold Fire tactical loop, Tactical loop hole can
	8424.20.30	Sprinkler system and equipments; Auto sprinkler system and equipments
84.81	8481.10.19	Pressure Reducing Valves
	8481.20.10	Valves for oleo hydraulic or pneumatic transmissions of inner diameter not exceeding 1 inch
	8481.30.19	Check/non return valves of inner diameter not exceeding 1 inch
	8481.40.19	Safety or relief valves of inner diameter not exceeding 1 inch
	8481.80.21	Hand diaphragm valve
	8481.80.29	Air release valve
	8481.80.90	Ball valve, butterfly valve, gate valve, pillar hydrant, Y-strainer
	8481.90.10	Parts of taps and cocks
84.84	8484.80.90	Motorized fire & smoke damper
85.28	8528.69.00	Video conference device
85.31	8531.20.00	Indicator panels incorporating liquid crystal devices (LCD) or light emitting diodes (LED)
	8531.80.00	Other apparatus
85.37	8537.10.20	Control Panel, Console
85.39	8539.52.00	LED lamps, bulbs and tubes without fittings.
85.44	8544.49.00	Cable
94.05	9405.49.90	Emergency light with Exit sign and double heads

শর্তাবলি:

- (১) সংশ্লিষ্ট আমদানিকারককে Industrial IRC holder VAT compliant উৎপাদনকারী (Manufacturer) অথবা VAT compliant সেবা প্রদানকারী হইতে হইবে;

ব্যাখ্যা।-

- (ক) “Industrial IRC holder” অর্থ এমন প্রতিষ্ঠান যাহার আমদানি ও রপ্তানি প্রধান নিয়ন্ত্রকের দপ্তর হইতে ইস্যুকৃত হালনাগাদ শিল্প ভোক্তা আইআরসি রহিয়াছে;
- (খ) “VAT compliant” অর্থ মূল্য সংযোজন কর ও সম্পূরক শুল্ক আইন, ২০১২ ও মূল্য সংযোজন কর ও সম্পূরক শুল্ক বিধিমালা,

২০১৬ এর অধীনে নিবন্ধিত নিয়মিত দাখিলপত্র (রিটার্ন) দাখিল করে
এমন উৎপাদনকারী বা সেবা প্রদানকারী প্রতিষ্ঠান;

- (২) বাংলাদেশ রপ্তানি প্রক্রিয়াকরণ অঞ্চল কর্তৃপক্ষ (BEPZA), বাংলাদেশ অর্থনৈতিক অঞ্চল কর্তৃপক্ষ (BEZA), বাংলাদেশ হাইটেক পার্ক কর্তৃপক্ষ অথবা আইন বলে প্রতিষ্ঠিত অন্য যে কোনো কর্তৃপক্ষের নিয়ন্ত্রণাধীন শিল্প প্রতিষ্ঠান যাহাদের জন্য শিল্প ভোক্তা আইআরসি গ্রহণের বাধ্যবাধকতা নাই সেইরূপ ক্ষেত্রে সংশ্লিষ্ট কর্তৃপক্ষ কর্তৃক ইস্যুকৃত আমদানি অনুমতিপত্র দাখিল করিতে হইবে;
- (৩) এই প্রজ্ঞাপনের আওতায় পণ্য আমদানি ও খালাসের লক্ষ্যে প্রতিষ্ঠানটির হালনাগাদ নবায়নকৃত শিল্প ভোক্তা আইআরসি রহিয়াছে এবং ১৩ ডিজিট সম্বলিত মূল্য সংযোজন কর (মুসক) নিবন্ধিত প্রতিষ্ঠানটি বিবেচ্য বিল অব এন্ট্রি দাখিলের অব্যবহিত পূর্ববর্তী মাসের মুসক দাখিলপত্র (রিটার্ন) দাখিল করিয়াছে মর্মে কাস্টমস কম্পিউটার সিস্টেমে বা ভ্যাট অনলাইন সিস্টেমে বা জাতীয় রাজস্ব বোর্ড এর ওয়েবসাইটে বা ভ্যাট কমিশনারেট এর ওয়েবসাইটে ইলেকট্রনিক তথ্য প্রদর্শিত থাকিতে হইবে:

তবে শর্ত থাকে যে, কোনো ধরনের দৈব-দুর্বিপাক বা কোনো যৌক্তিক কারণে ইলেকট্রনিক তথ্য পাওয়া সম্ভব না হইলে সংশ্লিষ্ট কমিশনার অব কাস্টমস প্রতি ক্ষেত্রে কারণ লিপিবদ্ধ করিয়া শুদ্ধায়নের প্রয়োজনীয় কার্যক্রম গ্রহণ করিতে পারিবে;
- (৪) কারখানার বা সেবা প্রদানকারী প্রতিষ্ঠানের লে-আউট প্ল্যান অনুযায়ী শিল্প বা সেবা প্রদানকারী প্রতিষ্ঠানের অগ্নি নির্বাপণ ব্যবস্থা স্থাপনে TABLE-এ বর্ণিত পণ্যের মধ্যে কোন্ কোন্ পণ্য কি পরিমাণে আমদানি করিতে হইবে তাহার সমর্থনে আন্তর্জাতিক খ্যাতিসম্পন্ন পরিদর্শন সংস্থা/কারখানার বা সেবা প্রদানকারী প্রতিষ্ঠানের লে-আউট প্ল্যান প্রত্যুতকারী রেজিস্টার্ড ইঞ্জিনিয়ারিং ফার্ম এবং উক্ত আমদানিকারক যেই এসোসিয়েশনের সদস্যভুক্ত সেই এসোসিয়েশন হইতে পরিশিষ্ট-১ মোতাবেক একটি যৌথ প্রত্যয়নপত্র পণ্য শুদ্ধায়নকালে সংশ্লিষ্ট কাস্টম হাউস বা কাস্টমস স্টেশনে দাখিল করিতে হইবে;
- (৫) অগ্নি নির্বাপণ ব্যবস্থার লে-আউট প্ল্যান বহির্ভূত কোনো পণ্য এই প্রজ্ঞাপনের অধীনে অব্যাহতি সুবিধা পাইবে না এবং এই প্রজ্ঞাপনের আওতায় কোনো প্রতিষ্ঠান প্রজ্ঞাপনে উল্লিখিত লে-আউট প্ল্যানভুক্ত প্রতিটি আইটেম প্রয়োজন অনুযায়ী কেবল একবার (প্রয়োজ্য ক্ষেত্রে একাধিক চালানে) আমদানি করিতে পারিবে এবং এইক্ষেত্রে কোনো প্রতিষ্ঠান প্রজ্ঞাপনে বর্ণিত পণ্য অন্য কোনো কাস্টমস স্টেশনের মাধ্যমে ইতিপূর্বে আমদানি করিয়াছে কিনা তাহা সংশ্লিষ্ট কাস্টম হাউস বা কাস্টমস স্টেশন নিশ্চিত হইয়া লইবেন;
- (৬) কোনো প্রতিষ্ঠান পরবর্তীতে সম্প্রসারণ করা হইলে সম্প্রসারিত অংশের জন্য প্রয়োজ্য লে-আউট প্ল্যানভুক্ত পণ্য এই প্রজ্ঞাপনের আওতায় অব্যাহতি সুবিধায়

আমদানি করিতে পারিবে এবং এইরূপ ক্ষেত্রে দফা (৪) এর পদ্ধতি অনুসরণ করিতে হইবে;

- (৭) আমদানিকৃত উপকরণ নিজস্ব শিল্প বা সেবা প্রদানকারী প্রতিষ্ঠানের অগ্নি নির্বাপন ব্যবস্থা ব্যতীত অন্য কোথাও ব্যবহার করা হইবে না এবং আমদানিকৃত উপকরণ অন্যবিধ কাজে ব্যবহার বা হস্তান্তর করা হইলে আরোপণীয় শুল্ক-কর পরিশোধসহ কাস্টমস আইন, ২০২৩ এর অধীনে যে কোনো আইনানুগ শাস্তি মানিয়া নিতে বাধ্য থাকিবেন মর্মে আমদানিকারক কর্তৃক যথাযথ মূল্যমানের নন-জুডিসিয়াল স্ট্যাম্পে একটি অঙ্গীকারনামা সংশ্লিষ্ট কাস্টমস কর্তৃপক্ষের নিকট দাখিল করিতে হইবে;
- (৮) আমদানিকৃত পণ্য আমদানিকারকের শিল্প বা সেবা প্রদানকারী প্রতিষ্ঠানে স্থাপন করা হইয়াছে কিনা তাহা সংশ্লিষ্ট কাস্টম হাউস বা কাস্টমস স্টেশন কর্তৃপক্ষকে সংশ্লিষ্ট কাস্টমস বন্ড কমিশনারেট অথবা মূল্য সংযোজন কর কমিশনারেট এর মাধ্যমে সরেজমিন যাচাইপূর্বক নিশ্চিত হইতে হইবে;
- (৯) দফা (৬) বাস্তবায়নের লক্ষ্যে সংশ্লিষ্ট কাস্টম হাউস বা কাস্টমস স্টেশন কর্তৃপক্ষ পণ্যচালান খালাসপূর্বক লিখিতভাবে অথবা ই-মেইল যোগে সংশ্লিষ্ট কাস্টমস বন্ড কমিশনারেট অথবা মূল্য সংযোজন কর কমিশনারেটকে অবহিত করিবেন;
- (১০) দফা (৬) এর উদ্দেশ্য পূরণকল্পে, কাস্টম হাউস বা কাস্টমস স্টেশন হইতে পত্র বা ই-মেইল প্রাপ্তির পর সংশ্লিষ্ট কাস্টমস বন্ড কমিশনারেট অথবা মূল্য সংযোজন কর কমিশনারেট আমদানিকারক শিল্প বা সেবা প্রদানকারী প্রতিষ্ঠান সরেজমিন পরিদর্শনপূর্বক পরিশিষ্ট-২ মোতাবেক একটি প্রত্যয়নপত্র সংশ্লিষ্ট কাস্টম হাউস বা কাস্টমস স্টেশনে প্রেরণ করিবেন;
- (১১) কোনো শিল্প প্রতিষ্ঠানে স্থাপিত অগ্নি নির্বাপক দরজা (Fire Resistant Door) প্রতিস্থাপনের প্রয়োজনে পুনরায় আমদানি করিতে হইলে উক্ত প্রতিষ্ঠানের আবেদনের প্রেক্ষিতে সংশ্লিষ্ট মূল্য সংযোজন কর বিভাগীয় দপ্তর উক্ত প্রতিষ্ঠান সরেজমিনে পরিদর্শনপূর্বক সংশ্লিষ্ট কাস্টম হাউস বা কাস্টমস স্টেশনে উক্তরূপ আমদানির বিষয়ে প্রতিবেদন প্রেরণ করিবেন এবং উক্ত প্রতিষ্ঠান কর্তৃক অগ্নি নির্বাপক দরজা প্রতিস্থাপনের জন্য প্রয়োজনীয় পরিমাণ সুনির্দিষ্টভাবে উল্লেখ করিয়া দফা (৩) মোতাবেক প্রত্যয়নপত্র পণ্য শুল্কায়নকালে সংশ্লিষ্ট কাস্টম হাউস বা কাস্টমস স্টেশনে দাখিল করিতে হইবে এবং এইক্ষেত্রে দফা (৪) হইতে দফা (৯) এর বিধানাবলি প্রযোজ্য হইবে; এবং
- (১২) প্রত্যয়নপত্র মোতাবেক আমদানিকৃত পণ্য সংশ্লিষ্ট শিল্প বা সেবা প্রদানকারী প্রতিষ্ঠানে ব্যবহার করা হইলে আমদানিকারক কর্তৃক দাখিলকৃত অঙ্গীকারনামা ফেরতযোগ্য হইবে অন্যথায় প্রযোজ্য শুল্ক-কর আমদানিকারক প্রতিষ্ঠান কর্তৃপক্ষের নিকট হইতে আদায়যোগ্য হইবে।

২। ১০ জ্যৈষ্ঠ, ১৪২৮ বঙ্গাব্দ মোতাবেক ২৪ মে, ২০২১ খ্রিষ্টাব্দ তারিখে জারীকৃত প্রজ্ঞাপন এস.আর.ও. নং-১২৯-আইন/২০২১/১৮/কাস্টমস এতদ্বারা রহিত করা হইল।

৩। এই প্রজ্ঞাপন ১১ জুন, ২০২৬ খ্রিষ্টাব্দ তারিখে কার্যকর হইবে এবং ইহা ৩০ জুন, ২০৩০ খ্রিষ্টাব্দ পর্যন্ত বলবৎ থাকিবে।

পরিশিষ্ট-১

প্রত্যয়নপত্র

[শর্তাবলির দফা (৪) দ্রষ্টব্য]

এই মর্মে প্রত্যয়ন করা যাইতেছে যে, (প্রতিষ্ঠানের নাম) -----, ঠিকানা -----, মুসক নিবন্ধন নম্বর ----- তারিখ -----, বড লাইসেন্স নং (প্রযোজ্য ক্ষেত্রে) ----- তারিখ ----- একটি শতভাগ রপ্তানিমুখী/ আংশিক রপ্তানিমুখী/অন্যান্য শিল্প বা সেবা প্রদানকারী প্রতিষ্ঠান।

উক্ত শিল্প বা সেবা প্রদানকারী প্রতিষ্ঠানের ভবনের নকশা অথবা অগ্নি নির্বাণ ব্যবস্থা সংযোজন/স্থাপন সংক্রান্ত নকশা অনুযায়ী অগ্নি নির্বাণ ব্যবস্থা স্থাপনের জন্য নিম্নের ছকে বর্ণিত পরিমাণ পণ্য আমদানি করিতে হইবে, যথা:-

ছক

ক্রমিক নং	H. S Code	পণ্যের বর্ণনা	পরিমাণ
(১)	(২)	(৩)	(৪)

উক্ত পরিমাণ পণ্য প্রজ্ঞাপন এস.আর.ও. নং ১৮৭-আইন/২০২৬/৪২/কাস্টমস, তারিখ: ০৮ জুন, ২০২৬ খ্রিষ্টাব্দ অনুযায়ী অব্যাহতি সুবিধায় আমদানির সুপারিশ করা হইল।

স্বাক্ষর:	স্বাক্ষর:
তারিখ:	তারিখ:
নাম:	নাম:
পদবি: -----	পদবি: সভাপতি,
(লে-আউট প্ল্যান প্রস্তুতকারী রেজিস্টার্ড ইঞ্জিনিয়ারিং ফার্ম)/(পরিদর্শন সংস্থা)	(আমদানিকারক শিল্প বা সেবা প্রদানকারী প্রতিষ্ঠান এর সংশ্লিষ্ট এসোসিয়েশনের নাম ও ঠিকানা)
সীল:	সীল:

পরিশিষ্ট-২
প্রত্যয়নপত্র
[শর্তাবলির দফা (১০) দ্রষ্টব্য]

এই মর্মে প্রত্যয়ন করা যাইতেছে যে, আমদানিকারক -----
----- (প্রতিষ্ঠানের নাম ও পূর্ণ ঠিকানা) মূল্য সংযোজন কর (মুসক) নিবন্ধন নং--
-----, তারিখ ----- বন্ড লাইসেন্স নং (প্রযোজ্য ক্ষেত্রে) ----- তারিখ-----
----- কর্তৃক ----- কাস্টম হাউস বা কাস্টমস স্টেশন এর বিল অব এন্ট্রি নং
-----, তারিখ----- এর মাধ্যমে খালাসকৃত পণ্য বা উপকরণ উক্ত প্রতিষ্ঠানের
কারখানায় বা সেবা প্রদান স্থানে অগ্নি নির্বাপন ব্যবস্থা স্থাপনের কাজে ব্যবহার করা হইয়াছে।

তারিখ:

স্বাক্ষর:

নাম:

কমিশনার

রাষ্ট্রপতির আদেশক্রমে

স্বাক্ষরিত/-

মোঃ আবদুর রহমান খান এফসিএমএ
সচিব।

April 26, 2026

The Chairman
National Board of Revenue (NBR)
Revenue Bhaban, Agargaon
Dhaka-1207



Subject: Submission of Budget Proposals for the Fiscal Year 2026-2027.

Dear Sir,

On behalf of the Electronics Safety and Security Association of Bangladesh (ESSAB), we would like to extend our sincere appreciation for the NBR's continued efforts in fostering a business-friendly environment that encourages industrial growth and ensures national safety.

As we approach the National Budget for the Fiscal Year 2026-2027, ESSAB, representing the country's leading providers and manufacturers of life safety and security solutions (includes fire & digital safety equipment) submits the enclosed proposals. Our recommendations are aimed at making life-safety equipment more accessible and supporting the local assembly of high-tech security products to align with the "Smart Bangladesh" vision.

Key Highlights of Our Proposals:

- **Duty Rationalization :** Reduction of import duties on essential fire-fighting equipment (e.g., UL-listed Fire pumps, valves, steel pipes, fire-rated doors, advanced fire alarm detection systems, cables, security surveillance and access control System) to ensure building safety is affordable for all sectors.
- **Clarification of H.S. Codes:** Streamlining H.S. Code classifications to prevent administrative delays and ensure the smooth clearance of specialized safety gear at ports.
- **Incentives for Green Safety:** Tax rebates for industries adopting energy-efficient and environmentally friendly safety & security technologies.

We believe that the implementation of these proposals will not only safeguard the nation's industrial assets but also contribute significantly to the revenue through the expansion of a compliant and standardized life safety sector.

We would appreciate the opportunity to discuss these points in further detail during the pre-budget consultative meetings.

Thank you for your time and for your dedication to the economic prosperity of Bangladesh.

Sincerely,



President
Electronics Safety and Security Association of Bangladesh (ESSAB)

CUSTOMS RELATED MATTER	
HS Code 73083000 – Fire Doors Doors, Window- Frames And Thresholds For Doors Of Iron Or Steel Total - 58.40%	আন্তর্জাতিক নীতিমালা এবং বাংলাদেশ ন্যাশনাল বিল্ডিং কোড অনুযায়ী প্রত্যেকটি ভবনে জরুরি বহির্গমন (Emergency Exit) পথ থাকা বাধ্যতামূলক এবং সেখানে ফায়ার ডোর ব্যবহার একটি অত্যাবশ্যকীয় নিরাপত্তা ব্যবস্থা। ফায়ার ডোরকে আমরা একটি প্রাথমিক ও বাধ্যতামূলক অগ্নি প্রতিরোধক সরঞ্জাম হিসেবে গণ্য করা উচিত বলে মনে করি। তাই এর জন্য আলাদা এইচএস কোড প্রণয়ন করা এবং ফায়ার ডোরের উপর আরোপিত অতিরিক্ত শুল্ক প্রত্যাহার করা প্রয়োজন বলে আমরা মনে করি, যাতে আমদানি ব্যয় কমে আসে এবং ফায়ার ডোর সাধারণ মানুষের কাছে আরও সহজলভ্য হয়।
HS Code 84242030 – Sprinkler System & Equipment Total – 26.90%	স্প্রিংকলার সিস্টেমস কল বহুতল ভবন, ওয়ার হাউস এবং বৃহৎ শিল্প কারখানার জন্য বাধ্যতামূলক। তবে এই জীবন রক্ষাকারী ফায়ার সেফটি সিস্টেমের উপর বর্তমানে ১৫% ভ্যাট এবং ৫% অ্যাডভান্স ট্রেড ভ্যাট সহ মোট প্রায় ২০% অতিরিক্ত শুল্ক প্রযোজ্য। ফায়ার সেফটি ব্যবস্থার বিস্তৃত ব্যবহার নিশ্চিত করতে এবং ভবন নিরাপত্তা শক্তিশালী করতে এই অতিরিক্ত কর হ্রাস করে শুধুমাত্র ১% কাস্টম ডিউটি নির্ধারণের মাধ্যমে আমদানির সুযোগ রাখা অত্যন্ত গুরুত্বপূর্ণ।



CUSTOMS RELATED MATTER	
HS Code 85311000 - Electrical Burglar Or Fire Alarms And Similar Apparatus Total - 26.90	ফায়ার অ্যালার্ম সিস্টেম একটি প্রাথমিক অগ্নিকাণ্ড শনাক্তকারী নিরাপত্তা যন্ত্র, যা সকল ধরনের ভবন ও স্থাপনায় ব্যবহার করা অপরিহার্য। এর মাধ্যমে অগ্নিকাণ্ডের প্রাথমিক অবস্থায় দ্রুত সতর্ক সংকেত পাওয়া যায়, ফলে সময় মতো মানুষকে নিরাপদে সরিয়ে নেওয়া এবং কার্যকর অগ্নি প্রতিরোধ ব্যবস্থা গ্রহণ করা সম্ভব হয়। তবে এই জীবন রক্ষাকারী ফায়ার সেফটি সিস্টেমের উপর বর্তমানে ১৫% ভ্যাট এবং ৫% অ্যাডভান্সট্রেড ভ্যাট সহ মোট প্রায় ২০% অতিরিক্ত শুল্ক প্রযোজ্য। ফায়ার সেফটি ব্যবস্থার বিস্তৃত ব্যবহার নিশ্চিত করতে এবং ভবন নিরাপত্তা শক্তিশালী করতে এই অতিরিক্ত কর হ্রাস করে শুধু মাত্র ১% কাস্টম ডিউটি নির্ধারণের মাধ্যমে আমদানির সুযোগ রাখা অত্যন্ত গুরুত্বপূর্ণ।
HS Code 85444900 - Electric Conductors, Nes, For A Voltage <=80 V, Not Fitted With Connectors Total - 58.40%	ফায়ার অ্যালার্ম সিস্টেম ইনস্টলেশনের জন্য ব্যবহৃত ফায়ার-রেটেড কেবল বা অগ্নি প্রতিরোধক তার একটি অত্যন্ত গুরুত্বপূর্ণ জীবন রক্ষাকারী উপাদান। এসব কেবল নির্দিষ্ট এইচএস কোডের আওতায় আমদানি ও কাস্টমস ক্লিয়ার করতে হয়, যার উপর বর্তমানে উচ্চ হারে শুল্ক প্রযোজ্য। ভবন, কারখানা ও অন্যান্য স্থাপনায় অগ্নিনিরাপত্তা ব্যবস্থা বাধ্যতামূলক ভাবে বাস্তবায়ন নিশ্চিত করতে, অন্তত একবারের জন্য হলেও ফায়ার-রেটেড কেবল আমদানিতে স্বল্প শুল্ক বা বিশেষ সুবিধা প্রদান করা প্রয়োজন বলে আমরা মনে করি।



CUSTOMS RELATED MATTER	
HS Code 73043900– Other Circular cross section of iron or non alloy steel (Excl cold drawn or cold rol) Total – 58.40%	ফায়ার হাইড্রেন্ট ও ফায়ার স্প্রিংকলার সিস্টেম স্থাপনে ব্যবহৃত পাইপ লাইন নির্দিষ্ট HS কোডের আওতায় আমদানি করতে হয়, যার উপর বর্তমানে উচ্চ হারে শুল্ক প্রযোজ্য।
HS Code – 73063000 Other, welded, of circular cross-section of iron or non- alloy steel Total – 89.08%	বহুতলভবন, কারখানা ও উন্নয়ন প্রকল্পে অগ্নিনিরাপত্তা ব্যবস্থা বাধ্যতামূলক ভাবে বাস্তবায়ন নিশ্চিত করতে এই পাইপের উপর আমদানি শুল্ক হ্রাস অথবা এককালীন বিশেষ কর সুবিধা প্রদান করা অত্যন্ত জরুরি বলে আমরা মনে করি।
VAT RELATED MATTER	
15% VAT on Fire Safety Consultancy to Prepare Fire Safety Plan	আমরা মনে করি ফায়ার সেফটি ইকুইপমেন্ট কে একটি জীবন রক্ষাকারী পণ্য হিসেবে গণ্য করা উচিত এবং এর ওপর আরোপিত সকল ধরনের ভ্যাট প্রত্যাহার করা হলে গ্রাহকদের জন্য এটি আরও সহজলভ্য হবে। এতে দেশের জনগণ ও সম্পদের নিরাপত্তা নিশ্চিত করাও আরও সহজ হবে।
10% & 7.5% VAT on Supply of Fire Safety Equipment and Accessories	



Customs Duty & VAT Rationalisation Proposal for Fire Safety and Life Safety Equipment
National Budget FY 2026-2027

Submitted by: Electronics Safety and Security Association of Bangladesh (ESSAB)

Ref: Bangladesh National Tariff, FY 2025-2026 (effective 29 July 2025)

1.0 FIRE DETECTION AND ALARM SYSTEM

A Fire Detection and Alarm System is categorised as a life safety system under BNBC 2020, NFPA 72, and NFPA 101 because its sole purpose is to detect fire hazards — smoke, heat, or combustion gases — at the earliest possible stage and provide audible/visual warning to all occupants. Early warning is the single most critical factor in reducing fire fatalities, giving occupants time to evacuate before untenable conditions develop.

Key life safety functions:

- Early Warning & Evacuation: Detects fire at the incipient stage, allowing safe evacuation.
- Critical Infrastructure Integration: Triggers smoke control systems, unlocks magnetic door locks, and alerts fire services.
- Regulatory Mandate: Legally required under BNBC 2020 for all commercial, industrial, and multi-storey residential buildings.
- First Line of Defence: Without a functioning alarm system, all other fire safety measures are compromised.

Proposed Tariff Revision:

Sl.	Item Description	H.S. Code	Present TTI	Proposed TTI
01	Fire Alarm Control Panel	85311000	28.73%	1%
02	Fire Alarm Repeater Panel	85311000	28.73%	1%
03	Network Card	85311000	28.73%	1%
04	Smoke Detector with Detector Base	85311000	28.73%	1%
05	Heat Detector with Detector Base	85311000	28.73%	1%
06	Multi-Sensor Detector with Detector Base	85311000	28.73%	1%
07	Beam Detector	85311000	28.73%	1%
08	Manual Call Point / Pull Station	85311000	28.73%	1%
09	Output / Control Module	85311000	28.73%	1%
10	Input / Monitor Module	85311000	28.73%	1%
11	Fault Isolator Module	85311000	28.73%	1%
12	Sounder	85311000	28.73%	1%
13	Sounder cum Strobe	85311000	28.73%	1%
14	Remote Indicator	85311000	28.73%	1%
15	NAC Extender / Power Supply	85044020	45.88%	1%
16	Fireman Telephone and Telephone Outlet	85311000	28.73%	1%
17	2c, 1.5mm ² Fire Alarm Cable	85444900	61.80%	1%
18	2c, 2.5mm ² Fire Alarm Cable	85444900	61.80%	1%



2.0 PASSIVE FIRE PROTECTION SYSTEM

2.1 FIRE DOOR

A Fire Door is classified as essential life safety equipment because it is engineered to save lives by containing fire and toxic smoke, keeping escape routes clear, and providing crucial time for evacuation (typically 30–120+ minutes). Fire doors are **legally mandatory** for all emergency exit routes under BNBC 2020, NFPA 101, and the Fire Prevention Act 2003.

- Containment: Prevents smoke and fire from spreading from the room of origin.
- Protected Escape Routes: Keep stairwells and corridors free of smoke and heat.
- Intumescent Technology: Seals automatically under heat to block toxic fumes.
- Passive & Constant: Works without activation — no power or human intervention required.

SL	Item Description	H.S. Code	Present TTI	Proposed TTI
01	Single-Leaf Fire-Rated Steel Door with All Required Accessories	73083000	61.80%	1%
02	Double-Leaf Fire-Rated Steel Door with All Required Accessories	73083000	61.80%	1%
03	Electromagnetic Door Holder	83024290	61.80%	1%
04	Fire-Rated Vision Panel / Glass	83024290	61.80%	1%
05	Door Closure for Fire Door	83024290	61.80%	1%
06	Mortise Lock for Fire Door	83024290	61.80%	1%
07	Lever Handle for Fire Door	83024290	61.80%	1%
08	Mortise Cylinder for Fire Door	83024290	61.80%	1%
09	Door Coordinator for Double Leaf Fire Door	83024290	61.80%	1%
10	Smoke Seal	83024290	61.80%	1%

2.2 AUTOMATIC FIRE / SMOKE CURTAIN

Automatic Fire/Smoke Curtains are passive fire protection systems designed for modern open-plan buildings — malls, hotels, factories, airports — where traditional walls or doors are impractical. They deploy automatically on fire alarm activation and can resist fire and smoke for 30 minutes to 4 hours, providing critical protection for lift openings, voids, and corridors. TTI of 39.75% makes these systems unaffordable for most installations.

- Contains smoke (the primary cause of fire deaths) by channelling it to exhaust systems.
- Gravity fail-safe — activates even during power failure.
- No human intervention needed — automatic deployment via smoke detector signal.

SL	Item Description	H.S. Code	Present TTI	Proposed TTI
01	Automatic Fire-Rated Curtain with All Required Accessories (Motor, Motor Controller, Group Controller, Push Button, Test Key Switch)	70199090	39.75%	1%
02	Motor Controller for Fire/Smoke Curtain	85371090	39.75%	1%
03	Group Controller for Fire/Smoke Curtain	85371090	39.75%	1%
04	Group Controller with Test Key Switch	85371090	39.75%	1%
05	Motor for Fire/Smoke Curtain	85371090	39.75%	1%



2.3 MOTORIZED FIRE-RATED STEEL ROLLING SHUTTER

A **Motorized Fire-Rated Steel Rolling Shutter** protects human life by automatically compartmentalising large industrial, commercial, and warehouse spaces during a fire emergency. Certified to BS 476 Part 22, EN 1634-1, or UL 10B/10C, these shutters seal corridors, stairwells, and lift lobbies, preventing fire and smoke from spreading for 1–4 hours.

Sl.	Item Description	H.S. Code	Present TTI	Proposed TTI
01	Single Skin Electrically Operated Motorised Fire-Rated Steel Rolling Shutter with all Required Accessories	73084000	61.80%	1%
02	Double Skin Electrically Operated Motorised Fire-Rated Steel Rolling Shutter with all Required Accessories	73084000	61.80%	1%

2.4 COMBINATION SMOKE AND FIRE DAMPER

A **Combination Smoke and Fire Damper** is an automatic barrier installed in HVAC ductwork at fire-rated wall/floor penetrations. It prevents fire and smoke from travelling through the building's ventilation network — a primary path for smoke spread. It fulfils both UL 555 (fire) and UL 555S (smoke) standards. Without proper dampers, an HVAC system can spread smoke throughout an entire building within minutes.

Sl.	Item Description	H.S. Code	Present TTI	Proposed TTI
01	Motorised Fire and Smoke Damper	84798900	28.73%	1%

2.5 FIRESTOP COLLAR

A **Firestop Collar** is a passive fire protection device installed around plastic pipes at fire-rated wall or floor penetrations. During a fire, the collar's intumescent material expands up to 30× its size, crushing the melting pipe and sealing the void — preventing fire, smoke, and toxic gas from spreading to other compartments. Buildings with unprotected pipe penetrations lose their fire compartmentation integrity entirely.

Sl.	Item Description	H.S. Code	Present TTI	Proposed TTI
01	Iron/Steel Tubes (Firestop Collar) — riveted, >406.4mm external diameter	73059000	61.80%	1%
02	Friction Material and Articles — not containing asbestos (Firestop Wrap Strip Collar)	68138900	45.88%	1%

2.6 FIRE RESISTANT GYPSUM BOARD

Fire-Resistant Gypsum Board is a passive fire protection material whose gypsum core contains chemically combined water ($\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$). When exposed to fire, it releases steam via calcination, absorbing heat and maintaining temperatures below 100°C until all water is released — providing 1–4 hours of fire resistance. It is mandated for stairwells, corridors, and inter-unit partitions in multi-storey buildings. The present TTI of 93.16% is the highest in this entire category.

Sl.	Item Description	H.S. Code	Present TTI	Proposed TTI
01	Fire Resistance Gypsum Board	68080000	93.16%	1%



2.7 FIRESTOP SEALANT

Firestop Sealant seals gaps, joints, and cable/pipe penetrations in fire-rated walls and floors. It prevents toxic smoke and flames from passing through construction joints and expansion gaps — points that, if unsealed, bypass all other compartmentation measures. It is a mandatory component of any BNBC 2020-compliant building envelope fire protection system.

Sl.	Item Description	H.S. Code	Present TTI	Proposed TTI
01	Firestop Sealant — Glazier's putty, grafting putty, resin cement, caulking compounds and other mastics	32141000	61.80%	1%

3.0 ACTIVE FIRE PROTECTION SYSTEM

3.1 SPRINKLER, STANDPIPE & HOSE SYSTEM

Sprinkler, Standpipe, and Hose Systems are the most effective means of controlling or extinguishing fire before it reaches life-threatening proportions. Automatic sprinkler systems are mandated by BNBC 2020 for all buildings above 10 floors, warehouse facilities, shopping malls, factories, and hospitals. NFPA statistics confirm that in buildings with operating sprinkler systems, the fire death rate is reduced by over 80%. The present TTI on components ranges from 12.50% to 93.16%, making complete sprinkler system installation unaffordable for small and medium enterprises.

Sl.	Item Description	H.S. Code	Present TTI	Proposed TTI
01	Horizontal Split Fire Pump Set (electrical motor driven + diesel engine driven fire pump, jockey pump, gauges)	84138100	28.73%	1%
02	End Suction Fire Pump Set (electrical + diesel engine driven, jockey pump, gauges)	84138100	28.73%	1%
03	Diesel Storage Tank	73090090	39.75%	1%
04	Anti-Vortex Plate, Flange/Groove End	73030000	93.16%	1%
05	Pressure Relief Valve, Flange/Groove End	84814019	61.80%	1%
06	Waste Cone, Flange/Groove End	73079990	93.16%	1%
07	Pressure Reducing Valve, Flange/Groove End	84811019	61.80%	1%
08	Casing Relief Valve, Thread End	84814090	13.58%	1%
09	Water Flow Meter, Flange/Groove End	90261000	28.73%	1%
10	Y-Strainer, Flange/Groove End	84818090	39.75%	1%
11	Flexible Pipe Joint, Flange/Groove End	73079990	93.16%	1%
12	OS&Y Gate Valve, Flange/Groove End	84818090	39.75%	1%
13	Supervisory / Tamper Switches for OS&Y Gate Valve	85365000 / 85366900	93.16%	1%
14	Butterfly Valve, Wafer/Flange/Groove End	84818090	39.75%	1%
15	Check / Non-Return Valve, Flange/Groove End	84813019	61.80%	1%
16	Ball Valve, Thread End	84818029	61.80%	1%
17	Wet Alarm Valve, Flange/Groove End	84818090	39.75%	1%
18	Automatic Air Release Valve, Thread End	84818029	61.80%	1%



Sl.	Item Description	H.S. Code	Present TTI	Proposed TTI
19	Test and Drain Valve with Sight Glass, Thread End	84818090	39.75%	1%
20	Sprinkler Line Tester, Thread End	84248900	28.73%	1%
21	Breeching Inlet / Fire Brigade Connection, Flange/Groove End	84242030	28.73%	1%
22	Pressure Gauge	90262000	28.73%	1%
23	Water Flow Indicating Switch	85365000 / 85366900	93.16%	1%
24	Pressure Switch	85366900	93.16%	1%
25	Upright Sprinkler	84242030	28.73%	1%
26	Pendent Sprinkler	84242030	28.73%	1%
27	Sidewall Sprinkler	84242030	28.73%	1%
28	Pendent Sprinkler Escutcheon Plate	84242030	28.73%	1%
29	Oblique Landing Valve, Flange/Thread End	84818090	39.75%	1%
30	Hose Rack Assembly	59090000	61.80%	1%
31	Hose Reel	59090000	61.80%	1%
32	Fire Hose Rack Cabinet	73269090	61.80%	1%
33	Fire Hose Pipe	73071900	93.16%	1%
34	Portable Jet / Spray Nozzle	73269090	61.80%	1%
35	Black Steel Pipe ASTM A53 Grade B SCH40 Seamless	73049000	93.16%	1%
36	Black Steel Pipe ASTM A53 Grade B SCH40 ERW	73066900	93.16%	1%
37	Welded Type Pipe Fittings	73072900	61.80%	1%
38	Threaded Type Pipe Fittings	73072900	61.80%	1%
39	Groove Type Pipe Fittings	73072900	61.80%	1%

3.2 FIRE EXTINGUISHER

Fire Extinguishers are the most widely recognised and universally mandated fire safety device — the first line of defence against incipient fires before they escalate. They are required in every building occupancy type under BNBC 2020, the Bangladesh Fire Prevention and Firefighting Act 2003, and workplace safety regulations. Their current TTI of 12.50% should be reduced to 1% to ensure the widest possible availability across all sectors.

Sl.	Item Description	H.S. Code	Present TTI	Proposed TTI
01	Fire Extinguisher (all types — CO ₂ , Dry Powder, Foam, Water)	84241000	12.50%	1%

4.0 VAT-RELATED MATTERS

In addition to import duty rationalisation, ESSAB respectfully proposes the following VAT reductions:

SL	VAT Category / Item	Present VAT	Proposed VAT	Justification
01	Fire & Electric Safety Consultancy Services (Preparation of Fire Safety Plans, Fire Risk Assessments, Fire Engineering Reports)	15%	5%	Fire safety planning is a professional life-safety service, not a luxury. Reducing VAT encourages the formal engagement of qualified fire safety engineers and improves building safety compliance.
02	Supply of Fire & Electric Safety Equipment and Accessories	10% & 7.5%	5%	High VAT on supply compounds the already high import duty burden. A unified reduced rate will increase affordability, drive compliance, and expand the tax base through volume growth.

Note: All TTI (Total Tax Incidence) data has been sourced from the Bangladesh National Tariff, Fiscal Year 2025-2026 (effective 29 July 2025). TTI includes Customs Duty (CD), Regulatory Duty (RD), Supplementary Duty (SD), Value Added Tax (VAT), and Advance Tax (AT).

Submitted by: Electronics Safety and Security Association of Bangladesh (ESSAB)

